

### EXAMINER'S AMENDMENT

[1] An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. § 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

[2] The application has been amended as follows:

"Application Serial No. [[\_\_\_\_]] 10/623191, of P. Snoeren"

Specification at 1, line 11, Jul. 18, 2003.

[3] Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID P. RASHID whose telephone number is (571)270-1578 and fax number (571)270-2578. The examiner can normally be reached Monday - Friday 7:30 - 17:00 ET.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

*/David P. Rashid/*  
Examiner, Art Unit 2624

Application/Control Number: 10/622,978

Page 3

Art Unit: 2624

/Bhaves M Mehta/  
Supervisory Patent Examiner, Art Unit 2624

David P Rashid  
Examiner  
Art Unit 26244